

# **EXHIBIT 3**

Name	Action	Object Type	User Name	Timestamp	Details	ZeitZ Notes	Searches
					<auditElement><QueryText>* &lt;Comments&gt; &lt;ArtifactID&gt;1036689&lt;/ArtifactID&gt; &lt;ArtifactTypeID&gt;10&lt;/ArtifactTypeID&gt; &lt;UserID&gt;1023880&lt;/UserID&gt; &lt;WorkspaceID&gt;1123952&lt;/WorkspaceID&gt; &lt;QueryType&gt;idist&lt;/QueryType&gt; &lt;QuerySource&gt;View or Search&lt;/QuerySource&gt; &lt;/Comments&gt;* ? SET NOCOUNT ON SELECT TOP 1000 [Document].[ArtifactID] FROM [Document] [NOLOCK] WHERE [AccessControlList_D] IN (1) ORDER BY [Document].[ControlNumber], [Document].[ArtifactID] ----- records returned: 1000 --- </QueryText><Milliseconds>31</Milliseconds></auditElement>	Opening of Relatively database. No searches executed and no document viewed.	
LISC Loading - All Standard Fields	Document Query	View	Maria, David	5/7/2016 11:13:43 AM EDT	<auditElement><QueryText>* &lt;Comments&gt; &lt;ArtifactID&gt;1036689&lt;/ArtifactID&gt; &lt;ArtifactTypeID&gt;10&lt;/ArtifactTypeID&gt; &lt;UserID&gt;1023880&lt;/UserID&gt; &lt;WorkspaceID&gt;1123952&lt;/WorkspaceID&gt; &lt;QueryType&gt;Count&lt;/QueryType&gt; &lt;QuerySource&gt;View or Search&lt;/QuerySource&gt; &lt;/Comments&gt;* ? SET NOCOUNT ON SELECT COUNT([Document].[ArtifactID]) FROM [Document] [NOLOCK] WHERE [ParentArtifactID] IN (1) AND [Folder].[ArtifactID] = [Document].[ParentArtifactID] WHERE [Document].[AccessControlList_D] IN (1) AND [EXISTS(SELECT ArtifactID FROM ArtifactArcestry [NOLOCK] WHERE [ArtifactArcestry].[ArtifactID] = [Document].[ArtifactID] AND AncestorArtifactID IN (1184185)) ORDER BY [Document].[ControlNumber], [Document].[ArtifactID] ----- records returned: 1000 --- </QueryText><Milliseconds>6</Milliseconds></auditElement>	Opening of Relativity database. No searches executed and no document viewed.	
LISC Loading - All Standard Fields	Document Query	View	Maria, David	5/7/2016 11:13:43 AM EDT	<auditElement><QueryText>* &lt;Comments&gt; &lt;ArtifactID&gt;1036689&lt;/ArtifactID&gt; &lt;ArtifactTypeID&gt;10&lt;/ArtifactTypeID&gt; &lt;UserID&gt;1023880&lt;/UserID&gt; &lt;WorkspaceID&gt;1123952&lt;/WorkspaceID&gt; &lt;QueryType&gt;idist&lt;/QueryType&gt; &lt;QuerySource&gt;View or Search&lt;/QuerySource&gt; &lt;/Comments&gt;* ? SET NOCOUNT ON SELECT COUNT([Document].[ArtifactID]) FROM [Document] [NOLOCK] LEFT JOIN [Folder] [NOLOCK] ON [Folder].[ArtifactID] = [Document].[ParentArtifactID] WHERE [Document].[AccessControlList_D] IN (1) AND [EXISTS(SELECT ArtifactID FROM ArtifactArcestry [NOLOCK] WHERE [ArtifactArcestry].[ArtifactID] = [Document].[ArtifactID] AND AncestorArtifactID IN (1184185)) </QueryText><Milliseconds>63</Milliseconds></auditElement>	Went to Adams II screen. No searches executed and no document viewed.	
LISC Loading - All Standard Fields	Document Query	View	Maria, David	5/7/2016 11:13:49 AM EDT	<auditElement><QueryText>* &lt;Comments&gt; &lt;ArtifactID&gt;1036689&lt;/ArtifactID&gt; &lt;ArtifactTypeID&gt;10&lt;/ArtifactTypeID&gt; &lt;UserID&gt;1023880&lt;/UserID&gt; &lt;WorkspaceID&gt;1123952&lt;/WorkspaceID&gt; &lt;QueryType&gt;Count&lt;/QueryType&gt; &lt;QuerySource&gt;View or Search&lt;/QuerySource&gt; &lt;/Comments&gt;* ? SET NOCOUNT ON SELECT COUNT([Document].[ArtifactID]) FROM [Document] [NOLOCK] LEFT JOIN [Folder] [NOLOCK] ON [Folder].[ArtifactID] = [Document].[ParentArtifactID] WHERE [Document].[AccessControlList_D] IN (1) AND [EXISTS(SELECT ArtifactID FROM ArtifactArcestry [NOLOCK] WHERE [ArtifactArcestry].[ArtifactID] = [Document].[ArtifactID] AND AncestorArtifactID IN (1184185)) </QueryText><Milliseconds>32</Milliseconds></auditElement>	Went to Adams II screen. No searches executed and no document viewed.	
LISC Loading - All Standard Fields	Document Query	View	Maria, David	5/7/2016 11:14:43 AM EDT	<auditElement><QueryText>* &lt;Comments&gt; &lt;ArtifactID&gt;1036689&lt;/ArtifactID&gt; &lt;ArtifactTypeID&gt;10&lt;/ArtifactTypeID&gt; &lt;UserID&gt;1023880&lt;/UserID&gt; &lt;WorkspaceID&gt;1123952&lt;/WorkspaceID&gt; &lt;QueryType&gt;idist&lt;/QueryType&gt; &lt;QuerySource&gt;View or Search&lt;/QuerySource&gt; &lt;/Comments&gt;* ? SET NOCOUNT ON SELECT TOP 1000 [Document].[ArtifactID] FROM [Document] [NOLOCK] LEFT JOIN [Folder] [NOLOCK] ON [Folder].[ArtifactID] = [Document].[ParentArtifactID] WHERE [Document].[AccessControlList_D] IN (1) AND [EXISTS(SELECT ArtifactID FROM ArtifactArcestry [NOLOCK] WHERE [ArtifactArcestry].[ArtifactID] = [Document].[ArtifactID] AND AncestorArtifactID IN (1184185)) ORDER BY [Document].[ControlNumber], [Document].[ArtifactID] ----- records returned: 1000 --- </QueryText><Milliseconds>6</Milliseconds></auditElement>	There does not appear to be any difference between this and the previous action. No searches executed and no document viewed.	
LISC Loading - All Standard Fields	Document Query	View	Maria, David	5/7/2016 11:14:43 AM EDT	<auditElement><QueryText>* &lt;Comments&gt; &lt;ArtifactID&gt;1036689&lt;/ArtifactID&gt; &lt;ArtifactTypeID&gt;10&lt;/ArtifactTypeID&gt; &lt;UserID&gt;1023880&lt;/UserID&gt; &lt;WorkspaceID&gt;1123952&lt;/WorkspaceID&gt; &lt;QueryType&gt;Count&lt;/QueryType&gt; &lt;QuerySource&gt;View or Search&lt;/QuerySource&gt; &lt;/Comments&gt;* ? SET NOCOUNT ON SELECT COUNT([Document].[ArtifactID]) FROM [Document] [NOLOCK] LEFT JOIN [Folder] [NOLOCK] ON [Folder].[ArtifactID] = [Document].[ParentArtifactID] WHERE [Document].[AccessControlList_D] IN (1) AND [EXISTS(SELECT ArtifactID FROM ArtifactArcestry [NOLOCK] WHERE [ArtifactArcestry].[ArtifactID] = [Document].[ArtifactID] AND AncestorArtifactID IN (1184185)) </QueryText><Milliseconds>63</Milliseconds></auditElement>	There does not appear to be any difference between this and the previous action. No searches executed and no document viewed.	

## Excerpt of "All Activity Deliverable 2017-12-15 Final Prosecution team.pdf"

Name	Action	Object Type	User Name	Timestamp	Details	Zeit Notes	Searches
UTSC Loading - All Standard Fields	Document Query	View	Maria, David	5/2/2016 11:14:47 AM EDT	<pre> &lt;auditElement&gt;&lt;QueryText&gt;/* &amp;lt;Comments&amp;gt; &amp;lt;ArtifactID&amp;gt;103669&amp;lt;ArtifactID&amp;gt; &amp;lt;ArtifactTypeID&amp;gt;10&amp;lt;ArtifactTypeID&amp;gt; &amp;lt;UserID&amp;gt;102380&amp;lt;UserID&amp;gt; &amp;lt;WorkspaceID&amp;gt;1123952&amp;lt;WorkspaceID&amp;gt; &amp;lt;QueryType&amp;gt;Count&amp;lt;QueryType&amp;gt; &amp;lt;QuerySource&amp;gt;View or Search&amp;lt;QuerySource&amp;gt; &amp;lt;Comments&amp;gt; */ SET NOCOUNT ON SELECT TOP 1000 [Document].[ArtifactID] FROM [Document] (NOLOCK) LEFT JOIN [Folder] (NOLOCK) ON [Folder].[ArtifactID] = [Document].[ParentArtifactID] WHERE [Document].[AccessControlSid_D] IN (1) AND [EXISTS(SELECT ArtifactID FROM ArtifactAncestry (NOLOCK) WHERE [ArtifactAncestry].[ArtifactID] = [Document].[ArtifactID] AND AncestorArtifactID IN (1184185))] ORDER BY [Document].[ControlNumber], [Document].[ArtifactID] ----- records returned: 1000 ----- &lt;/QueryText&gt;&lt;Milliseconds&gt;16&lt;/Milliseconds&gt;&lt;/auditElement&gt; </pre>	There does not appear to be any difference between this and the previous action. No searches executed and no document viewed.	
UTSC Loading - All Standard Fields	Document Query	View	Maria, David	5/2/2016 11:14:47 AM EDT	<pre> &lt;auditElement&gt;&lt;QueryText&gt;/* &amp;lt;Comments&amp;gt; &amp;lt;ArtifactID&amp;gt;103740&amp;lt;ArtifactID&amp;gt; &amp;lt;ArtifactTypeID&amp;gt;10&amp;lt;ArtifactTypeID&amp;gt; &amp;lt;UserID&amp;gt;102380&amp;lt;UserID&amp;gt; &amp;lt;WorkspaceID&amp;gt;1123952&amp;lt;WorkspaceID&amp;gt; &amp;lt;QueryType&amp;gt;Count&amp;lt;QueryType&amp;gt; &amp;lt;QuerySource&amp;gt;View or Search&amp;lt;QuerySource&amp;gt; &amp;lt;Comments&amp;gt; */ SET NOCOUNT ON SELECT TOP 1000 [User].[ArtifactID] FROM [User] (NOLOCK) LEFT JOIN [ExtendedArtifact] (NOLOCK) ON [ExtendedArtifact].[ArtifactID] = [User].[ArtifactID] WHERE [ExtendedArtifact].[AccessControlSid] IS NOT NULL AND [ExtendedArtifact].[AccessControlSid] IN (1) ORDER BY [User].[ArtifactID] ----- records returned: 0 ----- &lt;/QueryText&gt;&lt;Milliseconds&gt;9&lt;/Milliseconds&gt;&lt;/auditElement&gt; </pre>	There does not appear to be any difference between this and the previous action. No searches executed and no document viewed.	
UTSC Loading - All Standard Fields	Document Query	View	Maria, David	5/2/2016 11:15:09 AM EDT	<pre> &lt;auditElement&gt;&lt;QueryText&gt;/* &amp;lt;Comments&amp;gt; &amp;lt;ArtifactID&amp;gt;103669&amp;lt;ArtifactID&amp;gt; &amp;lt;ArtifactTypeID&amp;gt;10&amp;lt;ArtifactTypeID&amp;gt; &amp;lt;UserID&amp;gt;102380&amp;lt;UserID&amp;gt; &amp;lt;WorkspaceID&amp;gt;1123952&amp;lt;WorkspaceID&amp;gt; &amp;lt;QueryType&amp;gt;Count&amp;lt;QueryType&amp;gt; &amp;lt;QuerySource&amp;gt;View or Search&amp;lt;QuerySource&amp;gt; &amp;lt;Comments&amp;gt; */ SET NOCOUNT ON SELECT TOP 1000 [Document].[ArtifactID] FROM [Document] (NOLOCK) WHERE [Document].[AccessControlSid_D] IN (1) ORDER BY [Document].[ControlNumber], [Document].[ArtifactID] ----- records returned: 1000 --- &lt;/QueryText&gt;&lt;Milliseconds&gt;16&lt;/Milliseconds&gt;&lt;/auditElement&gt; </pre>	Went to the Lists tab. No searches executed and no document viewed.	
UTSC Loading - All Standard Fields	Document Query	View	Maria, David	5/4/2016 11:21:12 AM EDT	<pre> &lt;auditElement&gt;&lt;QueryText&gt;/* &amp;lt;Comments&amp;gt; &amp;lt;ArtifactID&amp;gt;103669&amp;lt;ArtifactID&amp;gt; &amp;lt;ArtifactTypeID&amp;gt;10&amp;lt;ArtifactTypeID&amp;gt; &amp;lt;UserID&amp;gt;102380&amp;lt;UserID&amp;gt; &amp;lt;WorkspaceID&amp;gt;1123952&amp;lt;WorkspaceID&amp;gt; &amp;lt;QueryType&amp;gt;Count&amp;lt;QueryType&amp;gt; &amp;lt;QuerySource&amp;gt;View or Search&amp;lt;QuerySource&amp;gt; &amp;lt;Comments&amp;gt; */ SET NOCOUNT ON SELECT COUNT([Document].[ArtifactID]) FROM [Document] (NOLOCK) WHERE [Document].[AccessControlSid_D] IN (1) &lt;/QueryText&gt;&lt;Milliseconds&gt;16&lt;/Milliseconds&gt;&lt;/auditElement&gt; </pre>		
UTSC Loading - All Standard Fields	Document Query	View	Maria, David	5/4/2016 11:22:15 AM EDT	<pre> &lt;auditElement&gt;&lt;QueryText&gt;/* &amp;lt;Comments&amp;gt; &amp;lt;ArtifactID&amp;gt;103669&amp;lt;ArtifactID&amp;gt; &amp;lt;ArtifactTypeID&amp;gt;10&amp;lt;ArtifactTypeID&amp;gt; &amp;lt;UserID&amp;gt;102380&amp;lt;UserID&amp;gt; &amp;lt;WorkspaceID&amp;gt;1123952&amp;lt;WorkspaceID&amp;gt; &amp;lt;QueryType&amp;gt;Count&amp;lt;QueryType&amp;gt; &amp;lt;QuerySource&amp;gt;View or Search&amp;lt;QuerySource&amp;gt; &amp;lt;Comments&amp;gt; */ SET NOCOUNT ON SELECT TOP 1000 [Document].[ArtifactID] FROM [Document] (NOLOCK) WHERE [Document].[AccessControlSid_D] IN (1) ORDER BY [Document].[ControlNumber], [Document].[ArtifactID] ----- records returned: 1000 --- &lt;/QueryText&gt;&lt;Milliseconds&gt;16&lt;/Milliseconds&gt;&lt;/auditElement&gt; </pre>		
UTSC Loading - All Standard Fields	Document Query	View	Maria, David	5/4/2016 11:22:15 AM EDT	<pre> &lt;auditElement&gt;&lt;QueryText&gt;/* &amp;lt;Comments&amp;gt; &amp;lt;ArtifactID&amp;gt;103669&amp;lt;ArtifactID&amp;gt; &amp;lt;ArtifactTypeID&amp;gt;10&amp;lt;ArtifactTypeID&amp;gt; &amp;lt;UserID&amp;gt;102380&amp;lt;UserID&amp;gt; &amp;lt;WorkspaceID&amp;gt;1123952&amp;lt;WorkspaceID&amp;gt; &amp;lt;QueryType&amp;gt;Count&amp;lt;QueryType&amp;gt; &amp;lt;QuerySource&amp;gt;View or Search&amp;lt;QuerySource&amp;gt; &amp;lt;Comments&amp;gt; */ SET NOCOUNT ON SELECT COUNT([Document].[ArtifactID]) FROM [Document] (NOLOCK) WHERE [Document].[AccessControlSid_D] IN (1) &lt;/QueryText&gt;&lt;Milliseconds&gt;16&lt;/Milliseconds&gt;&lt;/auditElement&gt; </pre>		

Page 3 of 2320